

# Miscellaneous Components



## W.R. Cobb Wants You To Be Satisfied

Ballou-Dama, the newest addition to the W.R. Cobb Company family, embraces a philosophy to provide the same service to all our customers in their time zone, in their language, for their specific market needs. International customer service representatives are located all over the world. Ballou-Dama is located in East Providence RI and has translators in several languages to accommodate our customers, both in the United States and overseas.

### **US/China**

#### **Contact: Eve Jiang**

Ballou/Dama  
800 Waterman Avenue  
East Providence, RI 02914  
Phone: 800-428-0040  
Fax: 800-428-0041  
Email: [ejjiang@wrcobb.com](mailto:ejjiang@wrcobb.com)

### **China/Qing Dao**

#### **Contact: Sining Li**

E-mail Sales: [sininglidama@163.com](mailto:sininglidama@163.com)  
QQ: 2078070049  
Mobile: 86-131-6210-7340  
We Chat: 86-131-6210-7340

### **Latin America (Portugese & Spanish)**

#### **Contact: Cidalia Mello**

Ballou/Dama  
800 Waterman Avenue  
East Providence, RI 02914  
Phone: 800-428-0040  
Fax: 800-428-0041  
E-mail: [cmello@wrcobb.com](mailto:cmello@wrcobb.com)

### **Thailand**

#### **Contact: Maneerat Chaiowarees**

Phone: 66-2-703-3134  
Fax: 66-2-703-3135  
E-mail Sales: [th\\_dama@truemail.co.th](mailto:th_dama@truemail.co.th)

Proud of our ISO 9001: 2015 and 14001: 2015 Certifications

Ballou-Dama [www.wrcobb.com](http://www.wrcobb.com) | E: [sales-balloudama@wrcobb.com](mailto:sales-balloudama@wrcobb.com) | 800-428-0040

# MILITARY CLUTCH (GRIPS)

## CONTRAS MILITARES

Our top-quality military-style lapel pin clutches are made from brass and then “bright dipped” to ensure a clean and shiny finish. Meets U. S. Government standards. Use with notched posts, see pages 3 & 4.

**MC-MR1210-USA**



Brass Military Clutch  
Diameter: .448" (11.3mm)  
5,000 pcs/bag

## BUTTON BACKS

### TORNILLOS Y TUERCAS / MILITAR

Our solid brass button back is to secure badges onto hats or lapels. To be used with threaded screw posts of varying lengths.

**CS-180/BR**



Button Back;  
Mill screw;  
Brass Outside  
Diameter: .509" (12.9mm)  
2,000 pcs/bag

**THREADED POSTS**



Various Sizes; Brass  
2,000 pcs/bag

## TIE CLUTCHES

See pages 3 & 4 for posts

### CONTRAS FINAS

**1,000 pcs/bag**



**ITEM#**

**TC-21000**

**TC-21006**

Tie Clutch; no chain; available in brass; - for use with a standard .045" non-grooved tac post. SPECIAL ORDER: nickel plate and gold plate.  
Height: .383" (9.7mm)  
Diameter: .385" (9.8mm)

Tie Clutch; no chain; - for use with a standard .045" non-grooved tac post. SPECIAL ORDER ONLY: brass; nickel plate and gold plate.  
Height: .343" (8.7mm)  
Diameter: .314" (9.9mm)

Proud of our ISO 9001: 2015 and 14001: 2015 Certifications

Ballou-Dama [www.wrcobb.com](http://www.wrcobb.com) | E: [sales-balloudama@wrcobb.com](mailto:sales-balloudama@wrcobb.com) | 800-428-0040

# TAC POSTS (NAILS)

## POSTES PARA PRENDEDORES

Our Tac posts are made to be consistent each time you order. Quality fusion nibs make these perfect for use in automated fusion systems. (see page 2 for military/lapel clutches and tie components)

**CASTINGS** 10,000 pcs/bag



Available in Brass and Nickel Silver

Grooved post is recommended for use with a military/lapel clutch.

Item #:	Post Length:	Post Diameter:	Head Diameter:
PO - TRC14	1/4" (.2500") (6.35mm)	.045" (1.14mm)	.080" (1.9mm)
PO - TRC56	5/16" (.3125") (7.9mm)	.045" (1.14mm)	.080" (1.9mm)
PO - TRC38	3/8" (.3750") (9.5mm)	.045" (1.14mm)	.080" (1.9mm)
PO - TRC76	7/16" (.4375") (11.1mm)	.045" (1.14mm)	.080" (1.9mm)

**FUSION** 20,000 pcs/bag



Available in Brass and Nickel Silver

Grooved post is recommended for use with a military/lapel clutch.

Item #:	Post Length:	Post Diameter:	Head Diameter:
PO - TRF14	1/4" (.2500") (6.35mm)	.045" (1.14mm)	.080" (1.9mm)
PO - TRF56	5/16" (.3125") (7.9mm)	.045" (1.14mm)	.080" (1.9mm)
PO - TRF38	3/8" (.3750") (9.5mm)	.045" (1.14mm)	.080" (1.9mm)
PO - TRF76	7/16" (.4375") (11.1mm)	.045" (1.14mm)	.080" (1.9mm)



PO - NSF56GR	5/16" (.3125") (7.9mm) With Pic & Groove Nickel Silver	.045" (1.14mm)	.112" (2.8mm)
--------------	--	----------------	---------------

Proud of our ISO 9001: 2015 and 14001: 2015 Certifications

Ballou-Dama [www.wrcobb.com](http://www.wrcobb.com) | E: [sales-balloudama@wrcobb.com](mailto:sales-balloudama@wrcobb.com) | 800-428-0040

# TAC POSTS (NAILS) *continued*

## POSTES PARA PRENDEDORES

Our Tac posts are made to be consistent each time you order. Quality fusion nibs make these perfect for use in automated fusion systems. (see page 2 for military/lapel clutches and tie components)

### CASTING POST WITH PIC 10,000 pcs/bag



Non-grooved; Nickel Silver

Recommended for use with tie components

Item #:	Post Length:	Post Diameter:	Head Diameter:
PO - NSC56	5/16" (.3125") (7.9mm)	.045" (1.14mm)	.112" (2.8mm)

### FUSION POST WITH PIC 10,000 pcs/bag



Non-grooved; Nickel Silver

Recommended for use with tie components

Item #:	Post Length:	Post Diameter:	Head Diameter:
PO - NSF56	5/16" (.3125") (7.9mm)	.045" (1.14mm)	.112" (2.8mm)

Proud of our ISO 9001: 2015 and 14001: 2015 Certifications

Ballou-Dama [www.wrcobb.com](http://www.wrcobb.com) | E: [sales-balloudama@wrcobb.com](mailto:sales-balloudama@wrcobb.com) | 800-428-0040