

# Cast Products



## W.R. Cobb Wants You To Be Satisfied

All W.R. Cobb products are carefully inspected throughout the manufacturing process to ensure them to be free from defects. Our reputation depends on it. However, should you ever receive a defective product, we will replace it at no charge if the item is returned in original condition. All such returns must be made within 30 days, and all warranties are limited to the value of the finding itself.

## Returns

1. Returns should be made within 30 days, and products must be in their original envelope and in the original condition.
2. Returns after 30 days will be subject to a 15% refinishing and inspection charge.
3. Returns after 90 days will only be credited at scrap value as they will not be restocked.
4. For your protection, all returns must be packaged securely and sent by insured freight.

### Note:

- Special order items are not returnable.
- Our products can not be ordered for approval.
- All returns require an RA number issued by customer service.

Proud of our ISO 9001: 2015 and 14001: 2015 Certifications  
Cobb Ballou [www.wrcobb.com](http://www.wrcobb.com) | E: [europe@ballou.com](mailto:europe@ballou.com) | +353-1-466-1950  
Numero Vert depuis la France 0800 918 496

# EAR POSTS - 28

TIGES PALILLOS OHRSTECKER 耳針

## 4 PRONG CAST BASKETS WITH STANDARD DOUBLE NOTCHED POST

Optional post styles available.



Post Diameter	0.030"/0.762mm	0.030"/0.762mm	0.030"/0.762mm	0.030"/0.762mm	0.030"/0.762mm
Stone Size	.07CT/2.5mm	.15CT/3mm	.25CT/3.5mm	.37CT/4mm	.50CT/5mm
ITEM#	28-M502/5H	28-M503/H	28-M503/5H	28-M504/H	28-M504/5H
14KY (11) Grams/100	17.23	24.66	36.40	42.48	45.36
14KW (12) Grams/100*	16.79	24.24	33.53	41.89	42.58
14KR (14) Grams/100	17.57	25.24	36.93	42.36	46.03
18KY (18) Grams/100	21.79	31.35	43.42	52.64	54.10
18KW (20) Grams/100*	20.46	29.45	40.77	49.43	50.82

Post Diameter	0.030"/0.762mm	0.030"/0.762mm	0.030"/0.762mm	0.030"/0.762mm	0.030"/0.762mm
Stone Size	.75CT/5mm	1.0CT/5.5mm	1.25CT/6mm	1.5CT/6.5mm	2CT/7mm
ITEM#	28-M505/H	28-M505/5H	28-M506/H	28-M506/5H	28-M507/H
14KY (11) Grams/100	52.68	55.59	66.60	88.68	95.94
14KW (12) Grams/100*	50.62	53.79	63.76	85.56	92.55
14KR (14) Grams/100	51.16	56.40	63.06	89.99	97.36
18KY (18) Grams/100	65.99	66.31	81.54	105.76	114.42
18KW (20) Grams/100*	61.98	62.28	76.58	99.33	107.47

Post Diameter	0.030"/0.762mm
Stone Size	2.5CT/7.5mm
ITEM#	28-M507/5H
14KY (11) Grams/100	108.68
14KW (12) Grams/100*	104.84
14KR (14) Grams/100	110.28
18KY (18) Grams/100	128.61
18KW (20) Grams/100*	121.74

\*Rhodium Plated

Proud of our ISO 9001: 2015 and 14001: 2015 Certifications  
Cobb Ballou [www.wrcobb.com](http://www.wrcobb.com) | E: [europe@ballou.com](mailto:europe@ballou.com) | +353-1-466-1950

Numero Vert depuis la France 0800 918 496

# EAR POSTS - 28

TIGES PALILLOS OHRSTECKER 耳針

## 4 PRONG CAST BASKETS WITH STANDARD DOUBLE NOTCHED POST

Optional post styles available.



Post Diameter	0.030"/0.762mm	0.030"/0.762mm	0.030"/0.762mm	0.030"/0.762mm	0.030"/0.762mm
Stone Size	.05CT/2.5mm	.10CT/3mm	.15CT/3.5mm	.25CT/4mm	.33CT/4.5mm

ITEM#	28-M402/5H	28-M403/H	28-M403/5H	28-M404/H	28-M404/5H
14KY (11) Grams/100	10.03	13.61	16.50	19.90	25.49
14KW (12) Grams/100*	10.01	13.25	16.19	19.52	26.19
14KR (14) Grams/100	10.09	14.77	18.68	19.98	25.64
18KY (18) Grams/100	12.58	16.70	20.68	24.48	31.58
18KW (20) Grams/100*	11.82	15.44	19.42	22.81	29.50

Post Diameter	0.030"/0.762mm	0.030"/0.762mm	0.030"/0.762mm	0.030"/0.762mm	0.030"/0.762mm
Stone Size	.50CT/5mm	.65CT/5.5mm	.75CT/6mm	1.0CT/6.5mm	1.25CT/7mm

ITEM#	28-M405/H	28-M405/5H	28-M406/H	28-M406/5H	28-M407/H
14KY (11) Grams/100	28.18	33.56	40.20	44.97	47.75
14KW (12) Grams/100*	27.63	32.62	39.73	45.05	48.07
14KR (14) Grams/100	27.85	32.64	39.82	43.94	48.25
18KY (18) Grams/100	35.52	42.02	50.44	58.30	56.21
18KW (20) Grams/100*	33.39	37.43	47.38	50.18	55.37

Post Diameter	0.030"/0.762mm				
Stone Size	1.6ct/7.5mm	2.0CT/8mm	2.43CT/8.5mm	2.75CT/9mm	3.35CT/9.5mm

ITEM#	28-M407/5H	28-M408/H	28-M408/5H	28-M409/H	28-M409/5H
14KY (11) Grams/100	54.11	54.49	58.90	79.99	82.87
14KW (12) Grams/100*	55.03	57.78	62.84	80.63	82.68
14KR (14) Grams/100	54.66	56.88	62.42	80.64	87.72
18KY (18) Grams/100	64.61	67.50	74.30	95.69	100.95
18KW (20) Grams/100*	60.54	63.23	72.23	92.35	96.88

\*Rhodium Plated

Proud of our ISO 9001: 2015 and 14001: 2015 Certifications  
Cobb Ballou www.wrcobb.com | E: europe@ballou.com | +353-1-466-1950

Numero Vert depuis la France 0800 918 496

# EAR POSTS - 28

TIGES PALILLOS OHRSTECKER 耳針

## 3 PRONG MARTINI CAST BASKETS WITH STANDARD DOUBLE NOTCHED POST

Optional post styles available.



Post Diameter Stone Size	0.030"/0.762mm .10CT/3mm	0.030"/0.762mm .13CT/3.2mm	0.030"/0.762mm .16CT/3.5mm	0.030"/0.762mm .25CT/4.1mm	0.030"/0.762mm .38CT/4.6mm
ITEM#	28-M683	28-M683/2	28-M683/5	28-M684	28-M684/5
14KY (11) Grams/100	17.6	18.3	19.4	21.0	22.5
14KW (12) Grams/100*	16.7	18.0	18.7	20.1	21.0
14KR (14) Grams/100	17.9	18.6	19.6	21.3	22.8
18KY (18) Grams/100	19.9	20.7	21.8	23.7	24.6
18KW (20) Grams/100*	19.5	20.3	21.5	22.5	25.0

Post Diameter Stone Size	0.034"/0.863mm .50CT/5.2mm	0.034"/0.863mm .63CT/5.5mm	0.034"/0.863mm .75CT/5.8mm	0.034"/0.863mm 1.00CT /6.5mm
ITEM#	28-M685	28-M685/5	28-M686	28-M686/5
14KY (11) Grams/100	25.6	25.9	30.9	34.1
14KW (12) Grams/100*	23.5	25.1	29.7	31.3
14KR (14) Grams/100	26.0	26.2	31.3	34.6
18KY (18) Grams/100	29.0	29.9	34.9	38.5
18KW (20) Grams/100*	27.3	29.6	33.9	37.1

\*Rhodium Plated

# EAR POSTS - 28

TIGES PALILLOS OHRSTECKER 耳針

## 4 PRONG MARTINI CAST BASKETS WITH STANDARD DOUBLE NOTCHED POST

Optional post styles available.



Post Diameter	0.030"/0.762mm	0.030"/0.762mm	0.030"/0.762mm	0.030"/0.762mm	0.030"/0.762mm
Stone Size	.10CT/2.5mm	.125CT/2.6mm	.25CT/3.26mm	.375CT/3.9mm	.50CT/4.4mm
ITEM#	28-M781	28-M781/5	28-M783/5	28-M784	28-M784/5
14KY (11) Grams/100	15.8	18.1	29.4	25.3	29.6
14KW (12) Grams/100*	16.3	17.5	24.1	25.7	28.7
18KY (18) Grams/100	19.9	21.4	29.5	31.5	35.2
18KW (20) Grams/100*	18.7	20.2	27.8	29.6	33.2

Post Diameter	0.034"/0.863mm	0.034"/0.863mm
Stone Size	.75CT/5mm	1.00CT/5.5mm
ITEM#	28-M685	28-M684/5
14KY (11) Grams/100	36.7	40.1
14KW (12) Grams/100*	36.1	38.8
18KY (18) Grams/100	44.3	47.7
18KW (20) Grams/100*	41.8	44.9

\*Rhodium Plated